

CONSOLIDATED CHECKLIST C6
Part 1 of 5 parts

Interim Status Standards for Owners and Operators of
Hazardous Waste Treatment, Storage, and Disposal Facilities
40 CFR Part 265, Subparts A-G, as of June 30, 1995
as published in the July 1, 1995 CFR

Notes: 1)

Consolidated Checklist C6 is divided into 5 separate documents/computer files solely for ease of handling its printed and electronic versions. Consolidated Checklist C6 remains one checklist; States must adopt all five portions simultaneously to correctly use this Consolidated Checklist. Note, the prenotes and endnotes associated with each part have been placed with the part to which they apply.

2) Several sections of Subparts A, B, and E were revised by the December 6, 1994, final rule published at 59 FR 62896-62953. Its applicable provisions are included in Revision Checklist 154, which is a consolidation of all the rules associated with the organic air emission standards for tanks, surface impoundments, and container requirements (Subpart CC). EPA strongly recommends States wait and adopt Revision Checklist 154 in its entirety (including all rules published through November 25, 1996) rather than adopting the December 6, 1994, final rule as represented on this consolidated checklist. The December 6, 1994, rule is designated as rule 154.1.

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE

SUBPART A - GENERAL

PURPOSE, SCOPE, AND APPLICABILITY

establish minimum national standards	*,10	265.1(a)					
applies to all owners and operators of TSDFs, with exceptions, who have met interim status requirements of RCRA 3005(e) or 270.10 or until fulfill applicable 265 closure/post-closure requirements	IV B,3,10,†121,154.1	265.1(b)					
exceptions:	IV B	265.1(c)					
ocean disposal	IV B	265.1(c)(1)					
reserved	IV B,44 C	265.1(c)(2)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
POTWs	IV B	265.1(c)(3)					
1 covered by a program of an authorized State	IV B	265.1(c)(4)					
1 unless State's program omits underground injection	*	265.1(c)(4)(i)					
1 unless State's authorization not up to date for HSWA requirements	*	265.1(c)(4)(ii)					
waste excluded by 261.5	IV B	265.1(c)(5)					
2 recyclable materials described in 261.6(a)(2)-(4)	IV B, 13, 111, 122	265.1(c)(6)					
waste accumulated at site of generation in accordance with 262.34	IV B	265.1(c)(7)					
farmers complying with 262.70	IV B, 48	265.1(c)(8)					
totally enclosed treatment facility	IV B	265.1(c)(9)					
elementary neutralization unit or wastewater treatment unit; compliance with 265.17(b) if owner or operator is diluting hazardous ignitable wastes or reactive wastes to remove characteristic before land disposal	IV B, 124, 137	265.1(c)(10)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
treatment or containment activities in response to an emergency, except as provided by 265.1(c)(11)(ii)	IV B	265.1(c)(11)(i)					
		265.1(c)(11)(i)(A)					
		265.1(c)(11)(i)(B)					
		265.1(c)(11)(i)(C)					
		265.1(c)(11)(ii)					
		265.1(c)(11)(iii)					
transporters storing in containers meeting 262.30	IV B	265.1(c)(12)					
combination of waste and absorbent material	IV B	265.1(c)(13)					
3 universal waste handlers and transporters handling the listed universal wastes are subject to Part 273 rather than Part 265	142 A	265.1(c)(14)					
	142 B	265.1(c)(14)(i)					
	142 C	265.1(c)(14)(ii)					
	142 D	265.1(c)(14)(iii)					
hazardous wastes not to be managed at facilities regulated under 265	14	265.1(d)					
		265.1(d)(1)					
		265.1(d)(1)(i)					
		265.1(d)(1)(ii)					
		265.1(d)(1)(iii)					
		265.1(d)(1)(iv)					
		265.1(d)(1)(v)					
applicable to owners or operators of facilities which treat, store or dispose of wastes referred to in 268; 268 standards are considered material requirements of 265 standards	34,78	265.1(e)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
reserved		265.2-265.3					
IMMINENT HAZARD ACTION							
enforcement actions under RCRA 7003	*	265.4					
SUBPART B - GENERAL FACILITY STANDARDS							
APPLICABILITY							
subpart applies to hazardous waste facilities except as provided in 265.1	*	265.10					
IDENTIFICATION NUMBER							
EPA identification number required	IV B	265.11					
REQUIRED NOTICES							
hazardous waste from foreign source	IV B	265.12(a)					
requirements before ownership transfer	IV B	265.12(b)					
GENERAL WASTE ANALYSIS							
4 analysis required prior to handling any hazardous waste or 265.113(d) non-hazardous waste; what information, at a minimum, the waste analysis must contain	IV B, 34, †64, 102	265.13(a)(1)					
inclusion of existing data	IV B, 78	265.13(a)(2)					
when analysis must be repeated	IV B	265.13(a)(3)					
	IV B, †64	265.13(a)(3)(i)					
	IV B	265.13(a)(3)(ii)					
inspect each offsite shipment	IV B	265.13(a)(4)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
develop and follow written waste analysis plan:	IV B	265.13(b)					
parameters which will be analyzed	IV B,†64	265.13(b)(1)					
test methods	IV B	265.13(b)(2)					
sampling method	IV B	265.13(b)(3)					
		265.13(b)(3)(i)					
		265.13(b)(3)(ii)					
frequency of reviewing or repeating analysis	IV B	265.13(b)(4)					
analyses from generators	IV B	265.13(b)(5)					
meeting of additional waste analysis requirements	IV B,16, 28,34, 79, 87,154.1	265.13(b)(6)					
surface impoundments exempted from land disposal restrictions under 268.4(a); procedures and schedules for:	34	265.13(b)(7)					
sampling impoundment contents	34	265.13(b)(7)(i)					
analysis procedures	34	265.13(b)(7)(ii)					
annual removal of residues:	34,39,50	265.13(b)(7)(iii)					
wastes that do not meet 268, Subpart D, treatment standards	50	265.13(b)(7)(iii) (A)					
		265.13(b)(7)(iii) (B)					

where no treatment standards established 50

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
		265.13(b)(7)(iii) (B)(1)					
		265.13(b)(7)(iii) (B)(2)					
for owners and operators seeking an exemption to the air emission standards of Subpart CC of this part in accordance with 265.1083	154.1	265.13(b)(8)					
the procedures and schedules for waste sampling and analysis, and the analysis of test data to verify the exemption	154.1	265.13(b)(8)(i)					
each generator's notice and certification of the volatile organic concentration in the waste if the waste is received from offsite	154.1	265.13(b)(8)(ii)					
analysis plan for off-site facilities:	IV B	265.13(c)					
procedures for identifying each waste moved at facility	IV B	265.13(c)(1)					
sampling method used to obtain a representative sample	IV B	265.13(c)(2)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
procedures owner or operator will use to determine whether biodegradable sorbent has been added to waste in container	118	265.13(c)(3)					
SECURITY							
prevent unknowing entry and minimize unauthorized entry unless 265.14(a)(1)&(2) are true	IV B	265.14(a)					
		265.14(a)(1)					
		265.14(a)(2)					
unless exempt under 265.14(a)(1)&(2), a facility must have:	*	265.14(b)					
24-hour surveillance	IV B	265.14(b)(1)					
barrier around active portion and control of entry	IV B	265.14(b)(2)(i)					
		265.14(b)(2)(ii)					
sign	IV B	265.14(c)					
GENERAL INSPECTION REQUIREMENTS							
inspect for malfunctions, deterioration, operator errors, and discharges	IV B	265.15(a)					
develop and follow written schedule	IV B	265.15(b)(1)					
keep schedule at facility	IV B	265.15(b)(2)					
identify items that are to be looked for	IV B	265.15(b)(3)					
frequency of inspection	IV B, 28, 79, 100, 154.1	265.15(b)(4)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
remedy of problems inspection uncovers	IV B	265.15(c)					
recordkeeping	IV B	265.15(d)					

PERSONNEL TRAINING

personnel complete training to ensure compliance with 265	IV B	265.16(a)(1)					
director of training program	IV B	265.16(a)(2)					
must be designed to ensure effective response to emergencies	IV B	265.16(a)(3)					
		265.16(a)(3)(i)					
		265.16(a)(3)(ii)					
		265.16(a)(3)(iii)					
		265.16(a)(3)(iv)					
		265.16(a)(3)(v)					
	IV B	265.16(a)(3)(vi)					
timing of instruction	IV B	265.16(b)					
annual review of initial training required at 265.16(a)	IV B	265.16(c)					
	IV B	265.16(d)					
		265.16(d)(1)					
		265.16(d)(2)					
		265.16(d)(3)					
recordkeeping	IV B	265.16(d)(4)					
retention of training records	IV B	265.16(e)					

GENERAL REQUIREMENTS FOR IGNITABLE, REACTIVE, OR INCOMPATIBLE WASTES

precautions to prevent waste ignition or reaction	IV B	265.17(a)					
---	------	-----------	--	--	--	--	--

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
precautions to prevent specified reactions	IV B	265.17(b)					
		265.17(b)(1)					
		265.17(b)(2)					
		265.17(b)(3)					
		265.17(b)(4)					
		265.17(b)(5)					

LOCATION STANDARDS

prohibition of waste placement in salt domes, salt bed formations, underground mines, and caves	17 E	265.18					
---	------	--------	--	--	--	--	--

5 CONSTRUCTION QUALITY ASSURANCE PROGRAM

CQA program	100	265.19(a)					
required for all surface impoundment, waste pile and landfill units that must comply with 265.221(a), 265.254, and 265.301(a); program must ensure constructed unit meets or exceeds all permit design criteria and specifications; program must be developed and implemented under a CQA officer who is a registered professional engineer	100	265.19(a)(1)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
the physical components the CQA program must address	100	265.19(a)(2)					
		265.19(a)(2)(i)					
		265.19(a)(2)(ii)					
		265.19(a)(2)(iii)					
		265.19(a)(2)(iv)					
		265.19(a)(2)(v)					
		265.19(a)(2)(vi)					
before construction begins, owner/operator must develop a written CQA plan; identify steps that will be used to monitor and document quality of materials and condition and manner of their installation; what the CQA plan must include:	100	265.19(b)					
identification of applicable units and how they will be constructed	100	265.19(b)(1)					
identification of key CQA plan development and implementation personnel; CQA officer qualifications	100	265.19(b)(2)					
inspection and sampling activities' description; what must be described	100	265.19(b)(3)					
contents of program	100	265.19(c)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
must include observations, inspections, tests, and measurements sufficient to ensure:	100	265.19(c)(1)					
structural stability and integrity of 265.19(a)(2) units	100	265.19(c)(1)(i)					
proper construction according to permit specifications and good engineering practices, and proper installation according to design specifications	100	265.19(c)(1)(ii)					
material conformity with design and other material specifications	100	265.19(c)(1)(iii)					
test fills for compacted soils liners, using full scale compaction methods to ensure liners are constructed to meet specific hydraulic conductivity requirements; compliance verified by in-situ testing on constructed test fill; conditions under which test fill requirement may be waived	100	265.19(c)(2)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
certification to Regional Administrator at least 30 days before receiving waste; signed by CQA officer stating that CQA plan has been successfully carried out and that the unit meets specific requirements; may receive wastes in unit after 30 days from the Regional Administrator's receipt of the CQA, unless Regional Administrator determines in writing that construction is not acceptable or extends review period for 30 days or seeks additional information; CQA documentation	100	265.19(d)					
SUBPART C - PREPAREDNESS AND PREVENTION							
APPLICABILITY							
all HW facilities, except as 265.1 provides	*	265.30					
MAINTENANCE AND OPERATION OF FACILITY							
requirements to minimize threats to health or environment	IV B	265.31					
REQUIRED EQUIPMENT							
what all facilities must be equipped with:	*	265.32					
internal communications or alarm	IV B	265.32(a)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
telephone or equivalent	IV B	265.32(b)					
fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment	IV B	265.32(c)					
water of adequate volume and pressure	IV B	265.32(d)					
TESTING AND MAINTENANCE OF EQUIPMENT							
maintenance and testing requirements	IV B	265.33					
ACCESS TO COMMUNICATIONS OR ALARM SYSTEM							
immediate access by personnel handling hazardous waste	IV B	265.34(a)					
immediate access when only one employee is on premises; what equipment must be immediately available	IV B	265.34(b)					
REQUIRED AISLE SPACE							
aisle space required to allow unobstructed movement	IV B	265.35					
reserved		265.36					
ARRANGEMENTS WITH LOCAL AUTHORITIES							
specific arrangements which must be made	IV B	265.37(a)					
		265.37(a)(1)					
		265.37(a)(2)					
		265.37(a)(3)					
		265.37(a)(4)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
document refusals to enter into arrangement in operating record	IV B	265.37(b)					
SUBPART D - CONTINGENCY PLAN AND EMERGENCY PROCEDURES							
APPLICABILITY							
applies to all HW facilities, except as 265.1 provides	*	265.50					
PURPOSE AND IMPLEMENTATION OF CONTINGENCY PLAN							
contingency plan required; purpose	*	265.51(a)					
when to implement plan	*	265.51(b)					
CONTENT OF CONTINGENCY PLAN							
describes actions to take in compliance with 265.51 and 265.56	IV B	265.52(a)					
relationship to SPCC or other plans	IV B	265.52(b)					
arrangements with local police, fire department, etc.	IV B	265.52(c)					
list names and addresses of emergency coordinator(s); keep up to date; listed in order to assume responsibility as alternates	IV B	265.52(d)					
list of emergency equipment at facility	IV B	265.52(e)					
evacuation plan	IV B	265.52(f)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
COPIES OF CONTINGENCY PLAN							
disposition of copies of plan and all revisions:	*	265.53					
maintained at facility	IV B	265.53(a)					
submitted to local police, fire department, hospitals, etc.	IV B	265.53(b)					
AMENDMENT OF CONTINGENCY PLAN							
when plan must be reviewed and, if necessary, amended:	*	265.54					
applicable regulations are revised	IV B	265.54(a)					
plan fails in an emergency	IV B	265.54(b)					
facility change	IV B	265.54(c)					
list of emergency coordinators changes	IV B	265.54(d)					
6 list of equipment changes	IV B,†54	265.54(e)					
EMERGENCY COORDINATOR							
responsibilities	IV B	265.55					
EMERGENCY PROCEDURES							
procedures for imminent or actual emergency	IV B	265.56(a)					
		265.56(a)(1)					
		265.56(a)(2)					
release, fire, explosion	IV B	265.56(b)					
hazard assessment	IV B	265.56(c)					
report of emergency coordinator's findings	IV B	265.56(d)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
notify local authorities	IV B	265.56(d)(1)					
report to on-scene coordinator or National Response Center; what the report must include		265.56(d)(2)					
		265.56(d)(2)(i)					
		265.56(d)(2)(ii)					
		265.56(d)(2)(iii)					
		265.56(d)(2)(iv)					
		265.56(d)(2)(v)					
	IV B	265.56(d)(2)(vi)					
measures during emergency	IV B	265.56(e)					
procedures if facility stops operation	IV B	265.56(f)					
treatment, storage, or disposal of material resulting from emergency	IV B	265.56(g)					
procedures after emergency	IV B	265.56(h)					
		265.56(h)(1)					
		265.56(h)(2)					
notifications prior to resuming operations	IV B	265.56(i)					
operating record information; written report to Regional Administrator	IV B	265.56(j)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
what the report to Regional Administrator must include	IV B	265.56(j)(1)					
		265.56(j)(2)					
		265.56(j)(3)					
		265.56(j)(4)					
		265.56(j)(5)					
		265.56(j)(6)					
		265.56(j)(7)					
SUBPART E - MANIFEST SYSTEM, RECORDKEEPING, AND REPORTING							
APPLICABILITY							
subpart applies to both on- and off-site facilities; exceptions	IV B	265.70					
USE OF MANIFEST SYSTEM							
duties of owner or operator when receiving waste accompanied by manifest	IV B	265.71(a)					
		265.71(a)(1)					
		265.71(a)(2)					
		265.71(a)(3)					
		265.71(a)(4)					
		265.71(a)(5)					
duties of owner or operator when receiving waste accompanied by shipping paper	IV B	265.71(b)					
		265.71(b)(1)					
		265.71(b)(2)					
		265.71(b)(3)					
		265.71(b)(4)					
		265.71(b)(5)					
facility that initiates shipment must comply with 262	*	265.71(c)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
MANIFEST DISCREPANCIES							
definition of manifest discrepancies	IV B	265.72(a)					
		265.72(a)(1)					
		265.72(a)(2)					
actions on discovering a discrepancy	IV B	265.72(b)					
OPERATING RECORD							
written operating record at facility	IV B	265.73(a)					
information which must be recorded:	IV B	265.73(b)					
description and quantity of waste; dates of treatment, storage, or disposal	IV B	265.73(b)(1)					
location of waste and quantity at each location	IV B	265.73(b)(2)					
records and results of waste analysis, determinations, and trial tests	IV B,16, 28,34, 79, 87,154.1	265.73(b)(3)					
reports of incidents which require implementing contingency plan	IV B	265.73(b)(4)					
records and results of inspections	IV B	265.73(b)(5)					
monitoring, testing, or analytical data	IV B,28, 79,100, 154.1	265.73(b)(6)					
closure and post- closure cost estimates	IV B	265.73(b)(7)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
quantity records for each shipment	34,50	265.73(b)(8)					
off-site treatment facility requirements	34,50	265.73(b)(9)					
on-site treatment facility requirements	34,50	265.73(b)(10)					
off-site land disposal facility requirements	34,50	265.73(b)(11)					
on-site land disposal facility requirements	34,50	265.73(b)(12)					
off-site storage facility requirements	50	265.73(b)(13)					
on-site storage facility requirements	50	265.73(b)(14)					

AVAILABILITY, RETENTION, AND DISPOSITION OF RECORDS

all records available for inspection	IV B	265.74(a)					
retention period extension under unresolved enforcement action	IV B	265.74(b)					
copy of records to Regional Administrator and local authority at closure	IV B	265.74(c)					

BIENNIAL REPORT

when to submit, what form, and what must be reported:	*,†1	265.75					
EPA identification number	IV B	265.75(a)					
calendar year covered by report	IV B	265.75(b)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
EPA identification numbers of generators; name and address for foreign generators	IV B	265.75(c)					
description and quantity of wastes received	IV B	265.75(d)					
methods of handling	IV B	265.75(e)					
monitoring data, where required	IV B	265.75(f)					
closure cost estimate; post-closure cost estimate	IV B	265.75(g)					
volume and toxicity reduction efforts	30	265.75(h)					
volume and toxicity reduction achieved	30	265.75(i)					
7 signed certification	IV B,30	265.75(j)					
UNMANIFESTED WASTE REPORT							
when an unmanifested report is required; form which must be used; information it must include	*,1	265.76					
EPA identification number	IV B	265.76(a)					
date waste received	IV B	265.76(b)					
generator and transporter EPA identification numbers; address and name	IV B	265.76(c)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
description and quantity of unmanifested waste	IV B	265.76(d)					
handling method	IV B	265.76(e)					
signed certification	IV B	265.76(f)					
explanation of why unmanifested	IV B	265.76(g)					

ADDITIONAL REPORTS

what else must be reported to Regional Administrator	*,†1	265.77					
releases, fires, explosions	IV B	265.77(a)					
ground-water contamination and monitoring data	IV B	265.77(b)					
facility closure	IV B	265.77(c)					
as otherwise required by Subparts AA, BB, and CC of this part	79,154.1	265.77(d)					

SUBPART F - GROUND-WATER MONITORING

APPLICABILITY

facilities that must implement a ground-water monitoring program	IV B	265.90(a)					
meet requirements of 265.91 and comply with 265.92 through 265.94; duration of ground-water monitoring program	IV B	265.90(b)					
demonstration required to waive requirements	IV B	265.90(c)					
		265.90(c)(1)					
		265.90(c)(1)(i)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
		265.90(c)(1)(ii)					
		265.90(c)(2)					
		265.90(c)(2)(i)					
		265.90(c)(2)(ii)					
requirements to implement an alternate ground-water monitoring program	IV B	265.90(d)					
		265.90(d)(1)					
		265.90(d)(2)					
		265.90(d)(3)					
		265.90(d)(4)					
		265.90(d)(5)					
waiver of surface impoundment ground-water monitoring requirements	IV B	265.90(e)					

GROUND-WATER MONITORING SYSTEM

monitoring system capabilities	IV B	265.91(a)					
		265.91(a)(1)					
		265.91(a)(1)(i)					
		265.91(a)(1)(ii)					
		265.91(a)(2)					
† demonstrate alternate hydraulically down-gradient monitoring well location will meet alternate criteria; in writing and kept at facility; certified by qualified ground-water scientist and establish:	99	265.91(a)(3)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
† existing physical obstacle prevents monitoring well installation at hydraulically downgradient limit of the waste management area	99	265.91(a)(3)(i)					
† selected alternate downgradient location is as close to limit of waste management area as practical	99	265.91(a)(3)(ii)					
† location ensures detection that, given alternate location, is as early as possible of any statistical amounts of hazardous waste or constituents that migrate from the waste management area to uppermost aquifer	99	265.91(a)(3)(iii)					
† lateral expansion, new or replacement units not eligible for an alternate downgradient location	99	265.91(a)(3)(iv)					
separate sampling systems not required if waste management area properly monitored; definition of waste management area	IV B	265.91(b)					
		265.91(b)(1)					
		265.91(b)(2)					
wells must be cased	IV B	265.91(c)					

SAMPLING AND ANALYSIS

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
obtain and analyze samples from ground- water monitoring system; must have a sampling and analysis plan and keep it at the facility	IV B	265.92(a)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
procedures to be described in plan	IV B	265.92(a)(1)					
		265.92(a)(2)					
		265.92(a)(3)					
		265.92(a)(4)					
parameters to be measured	IV B	265.92(b)					
		265.92(b)(1)					
		265.92(b)(2)					
		265.92(b)(2)(i)					
		265.92(b)(2)(ii)					
		265.92(b)(2)(iii)					
		265.92(b)(2)(iv)					
		265.92(b)(2)(v)					
		265.92(b)(2)(vi)					
		265.92(b)(3)					
		265.92(b)(3)(i)					
		265.92(b)(3)(ii)					
		265.92(b)(3)(iii)					
		265.92(b)(3)(iv)					
establish initial background concentration for 265.92(b) parameters quarterly for one year	IV B	265.92(c)(1)					
establishing 265.92(b)(3) indicator parameters	IV B	265.92(c)(2)					
frequency of sampling	IV B	265.92(d)					
		265.92(d)(1)					
		265.92(d)(2)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
ground-water surface elevation	IV B	265.92(e)					
PREPARATION, EVALUATION, AND RESPONSE							
outline of ground-water quality assessment program; what program must be capable of determining	IV B	265.93(a)					
		265.93(a)(1)					
		265.93(a)(2)					
		265.93(a)(3)					
compare parameters	IV B	265.93(b)					
significant increase in comparisons for upgradient wells	IV B	265.93(c)(1)					
significant increase in comparisons for downgradient wells	IV B	265.93(c)(2)					
written notice to Regional Administrator if downgradient well increase is significant	IV B	265.93(d)(1)					
submit a ground-water quality assessment plan to Regional Administrator; plan contents	IV B	265.93(d)(2)					
		265.93(d)(3)					
		265.93(d)(3)(i)					
		265.93(d)(3)(ii)					
		265.93(d)(3)(iii)					
		265.93(d)(3)(iv)					
implement plan and determine extent of problem	IV B	265.93(d)(4)					
		265.93(d)(4)(i)					
		265.93(d)(4)(ii)					
timing and report of ground-water quality assessment	IV B	265.93(d)(5)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
indicator evaluation program if waste has not entered ground-water	IV B	265.93(d)(6)					
action if waste or constituent has entered ground-water	IV B	265.93(d)(7)					
		265.93(d)(7)(i)					
		265.93(d)(7)(ii)					
assessment completion	IV B	265.93(e)					
evaluation of data on ground-water surface elevations	IV B	265.93(f)					

RECORDKEEPING AND REPORTING

requirements if ground-water is not monitored:	IV B	265.94(a)					
keep records	IV B	265.94(a)(1)					
submit reports	IV B	265.94(a)(2)					
		265.94(a)(2)(i)					
	IV B,†1	265.94(a)(2)(ii)					
		265.94(a)(2)(iii)					
requirements if ground-water is monitored:	IV B	265.94(b)					
keep records	IV B	265.94(b)(1)					
submit reports	IV B,†1	265.94(b)(2)					

SUBPART G - CLOSURE AND POST-CLOSURE

APPLICABILITY

except as 265.1 provides otherwise:	*	265.110					
-------------------------------------	---	---------	--	--	--	--	--

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
265.111 through 265.115 apply to all owners and operators of all hazardous waste management facilities	IV B,24	265.110(a)					
265.116 through 265.120 apply to all owners and operators of:	IV B,24	265.110(b)					
all hazardous waste disposal facilities	IV B,24, 109	265.110(b)(1)					
8 waste piles and surface impoundments from which wastes are removed at closure	24,28, 52,109	265.110(b)(2)					
8 tank systems required under 265.197 to meet landfill requirements	28,52, 109	265.110(b)(3)					
containment buildings that are required under 265.1102 to meet the requirements for landfills	109	265.110(b)(4)					
CLOSURE PERFORMANCE STANDARD							
manner of closing	*,24	265.111					
minimizes further maintenance	IV B,24	265.111(a)					
controls, minimizes, or eliminates post- closure escape	IV B,24	265.111(b)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
9 complies with requirements of Subpart G plus specific sections of 265	24,109	265.111(c)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
					EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
10	CLOSURE PLAN; AMENDMENT OF PLAN							
	written closure plan; furnish upon request	IV B, †24,85	265.112(a)					
11	content of closure plan		265.112(b)					
			265.112(b)(1)					
			265.112(b)(2)					
			265.112(b)(3)					
		IV B,24	265.112(b)(4)					
		24	265.112(b)(5)					
		IV B,24	265.112(b)(6)					
		†24	265.112(b)(7)					
12	requirements for amendments of closure plan		265.112(c)					
			265.112(c)(1)					
			265.112(c)(1)(i)					
			265.112(c)(1)(ii)					
		IV B,24	265.112(c)(1)(iii)					
		24	265.112(c)(2)					
		IV B,24	265.112(c)(3)					
		24,†54	265.112(c)(4)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE

13 Notification of Partial Closure and Final Closure

9,14,1
5

when notification must occur; public comment and hearing	IV B, †24,85	265.112(d)(1)					
	IV B, †24, †64,85, 96	265.112(d)(2)					
	96	265.112(d)(2)(i)					
		265.112(d)(2)(ii)					
		265.112(d)(3)					
		265.112(d)(3)(i)					
		265.112(d)(3)(ii)					
	IV B,†24	265.112(d)(3)(ii)					
	IV B, †24,109	265.112(d)(4)					

† remove wastes;
decontaminate and
dismantle equipment

	24	265.112(e)					
--	----	------------	--	--	--	--	--

16 CLOSURE; TIME ALLOWED FOR CLOSURE

14 treat, remove, or
dispose of all
hazardous wastes
within 90 days of
receipt of final volume
of hazardous waste,
or final volume of
non-hazardous waste

	IV B,24, †64,85, 96	265.113(a)					
--	---------------------------	------------	--	--	--	--	--

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
modification and demonstration requirements for extending period	IV B,24	265.113(a)(1)(i)					
	IV B,24, †64	265.113(a)(1)(ii) (A)					
		265.113(a)(1)(ii) (B)					
		265.113(a)(1)(ii) (C)					
	IV B,24	265.113(a)(2)					
14 complete partial or final closure within 180 days of receipt of final volume	IV B,24, †64,85, 96	265.113(b)					
modification and demonstration requirements for extending closure period	IV B,24	265.113(b)(1)(i)					
	IV B,24, †64	265.113(b)(1)(ii) (A)					
		265.113(b)(1)(ii) (B)					
		265.113(b)(1)(ii) (C)					
	IV B,24	265.113(b)(2)					
how 265.113(a)(1) & (b)(1) demonstrations must be made	24,†64	265.113(c)					
		265.113(c)(1)					
		265.113(c)(2)					

†,
17 Nonhazardous Waste Receipt Conditions

receive nonhazardous wastes after the final receipt of hazardous wastes at specified units	64	265.113(d)					
--	----	------------	--	--	--	--	--

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
submittal of amended Part B application or Part B application and required demonstrations	64	265.113(d)(1)					
		265.113(d)(1)(i)					
		265.113(d)(1)(ii)					
		265.113(d)(1)(iii)					
		265.113(d)(1)(iv)					
		265.113(d)(1)(v)					
		265.113(d)(2)					
		265.113(d)(3)					
		265.113(d)(4)					

†,17 Additional Requirements for Surface Impoundments

special requirements for surface impoundments not in compliance with liner and leachate collection system requirements	64	265.113(e)					
plans which must be submitted with the Part B application	64	265.113(e)(1)					
		265.113(e)(1)(i)					
		265.113(e)(1)(ii)					
remove all hazardous wastes	64	265.113(e)(2)					
removal within 90 days; extension	64	265.113(e)(3)					
actions to be taken if a release is detected	64	265.113(e)(4)					
		265.113(e)(4)(i)					
		265.113(e)(4)(ii)					
		265.113(e)(4)(iii)					
semi-annual reports	64	265.113(e)(5)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
conditions under which Regional Administrator may require closure	64	265.113(e)(6)					
actions to be taken if owner or operator fails to implement corrective measures or if no substantial progress pursuant to 265.113(e)(6) has been made	64	265.113(e)(7)					
		265.113(e)(7)(i)					
		265.113(e)(7)(ii)					
		265.113(e)(7)(iii)					
		265.113(e)(7)(iv)					
		265.113(e)(7)(v)					

DISPOSAL OR DECONTAMINATION OF EQUIPMENT, STRUCTURES AND SOILS

disposal and decontamination requirements during closure; 262 generator requirements	IV B,24, 52	265.114					
--	-------------	---------	--	--	--	--	--

CERTIFICATION OF CLOSURE

certification requirements at closure; required signatures; documentation upon request	IV B,24	265.115					
--	---------	---------	--	--	--	--	--

SURVEY PLAT

survey plat requirements	24	265.116					
--------------------------	----	---------	--	--	--	--	--

POST-CLOSURE CARE AND USE OF PROPERTY

continue care for 30 years	IV B,24	265.117(a)(1)					
monitoring and reporting requirements	IV B,24	265.117(a)(1)(i)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
maintenance and monitoring for waste containment systems	IV B,24	265.117(a)(1)(ii)					
reduction or extension of time period for post-closure care by Regional Administrator	IV B,24	265.117(a)(2)					
		265.117(a)(2)(i)					
		265.117(a)(2)(ii)					
conditions for continuation of security requirements of 265.14	IV B,24	265.117(b)					
		265.117(b)(1)					
		265.117(b)(2)					
limits on post-closure use of property; exceptions	IV B,24	265.117(c)					
		265.117(c)(1)					
		265.117(c)(2)					
post-closure activities in accordance with plan as specified in 265.118	IV B,24	265.117(d)					
POST-CLOSURE PLAN; AMENDMENT OF PLAN							
18 written post-closure plan; submission deadline for surface impoundments closing as landfills	IV B,24	265.118(a)					
19 availability of plan to Regional Administrator or representative; retention during post-closure	IV B,24	265.118(b)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
					EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
18, 20	items that must be included in post-closure plan	IV B,24	265.118(c)					
			265.118(c)(1)					
			265.118(c)(2)					
			265.118(c)(2)(i)					
			265.118(c)(2)(ii)					
			265.118(c)(3)					
19, 21	obtaining authorization to change plan	IV B,24	265.118(d)					
19	conditions requiring change to plan	IV B,24	265.118(d)(1)					
			265.118(d)(1)(i)					
			265.118(d)(1)(ii)					
19	schedule for amending plan	IV B,24	265.118(d)(2)					
	when modified plan must be submitted to Regional Administrator; requirements for surface impoundments or waste piles closing as landfills	IV B,24, †54	265.118(d)(3)					
	schedule for amending plan at Regional Administrator's request	IV B,24, †54	265.118(d)(4)					
19, 20	schedule for submitting plan to Regional Administrator	IV B,24	265.118(e)					
			265.118(e)(1)					
			265.118(e)(2)					
21, 22	Regional Administrator's schedule for review and decision on plan	IV B,24	265.118(f)					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADE R IN SCOPE
22 circumstances for modifying post- closure plan and length of post-closure care period	IV B,24	265.118(g)					
		265.118(g)(1)					
		265.118(g)(1)(i)					
		265.118(g)(1)(i) (A)					
		265.118(g)(1)(i) (B)					
		265.118(g)(1)(ii)					
		265.118(g)(1)(iii)					
		265.118(g)(2)					
		265.118(g)(2)(i)					
		265.118(g)(2)(ii)					
23 POST-CLOSURE NOTICES							
record of type, location and quantity of HW	IV B,24	265.119(a)					
requirement to enter note on deed; survey plan; submit certification	24	265.119(b)					
		265.119(b)(1)					
		265.119(b)(1)(i)					
		265.119(b)(1)(ii)					
		265.119(b)(1)(iii)					
		265.119(b)(2)					
modification to remove hazardous wastes; criteria of 265.117(c); removal of notation; addition of notation	24	265.119(c)					
		265.119(c)(1)					
		265.119(c)(2)					
24 CERTIFICATION OF COMPLETION OF POST-CLOSURE CARE							
description of certification procedure	IV B,24	265.120					

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

- 1 This subsection was modified by 50 FR 28702, the final rule addressed by Revision Checklists 17 A - 17 S, but was not included in these checklists.
- 2 The May 3, 1993 final rule (58 FR 26420, Revision Checklist 122) inadvertently removed a correction made by the August 25, 1992 Federal Register (57 FR 38558, Revision Checklist 111). The August 25, 1992 rule changed "subparts C, D, F, or G" to "subparts C, F, G, or H"; the May 3, 1993 rule listed the old version of these internal references. The correct reference is "subparts C, F, G, or H", as shown in the August 25, 1992 rule.
- 3 States should adopt 265.1(c)(14)(i)-(iii) as appropriate to reflect the universal wastes adopted. See the rule for Checklists 142 A-D (60 FR 25492; May 11, 1995).
- 4 The August 14, 1989 rule (54 FR 33376, Revision Checklist 64) amended the first sentence of 265.13(a)(1). However, because of a misinterpretation of the codification instructions, the second sentence of the provisions at this citation was omitted from the 1990 and 1991 CFRs. Revision Checklist 102 (57 FR 8086; March 6, 1992) corrects the error by restoring the mistakenly deleted language.
- 5 Section 265.19 is considered to be both a HSWA and Non-HSWA provision by Revision Checklist 100. It is Non-HSWA only to the extent that it applies to the final cover requirements for the Construction Quality Assurance Program.
- 6 Revision Checklist 54 removed the comment following 265.54(e).
- 7 This requirement was moved from 265.75(h) to 265.75(j) by Revision Checklist 30.
- 8 265.110(b)(2) was added by Revision Checklist 24. It was amended by Revision Checklist 28 to read as 265.110(b)(3) presently reads. Revision Checklist 52 added a new 265.110(b)(2), redesignating the old 265.110(b)(2) as 265.110(b)(3). Interestingly, the wording of the 265.110(b)(2) added by Revision Checklist 52 is the same as the wording of the 265.110(b)(2) added by Revision Checklist 24.
- 9 There is a typographical error in the August 18, 1992 Federal Register (57 FR 37194, Revision Checklist 109) article for this rule. The internal reference to "264.1102" should be to "265.1102".
- 10 Revision Checklist 24 significantly revised the 265.112 section. Much of the original code (Base Program Checklist IV B) survived but was modified and also moved to different paragraphs/subparagraphs by Revision Checklist 24. Thus, when IV B appears in the Checklist Reference column for any of the 265.112 citations it, more frequently than not, indicates that the text of those citations is relevant to Checklist IV B while the actual citation number is not. For example, IV B appears as a checklist reference for 265.112(b)(4), (6) and (7), yet paragraph 265.112(b) was not broken down into subparagraphs (1)-(7) in code relevant to Checklist IV B. Footnotes at the paragraph level will indicate where the code appeared under the old formatting as per Base Program Checklist IV B.
- 11 Many of the current requirements of 265.112(b) and (b)(1)-(b)(7), as designated and modified by Revision Checklist 24, were part of the base program at 265.112(a) and (a)(1)-(4). States which do not adopt the optional (less stringent) requirement at 265.112(b)(7) must be careful to retain the closure plan requirement for "an estimate of the expected year of closure" as first

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

introduced into the base program as a portion of 265.112(a)(4).

- 12 Part or all of the text of the following citations was introduced into the code at 265.112(b) as per Base Program Checklist IV B: 265.112(c), (c)(1), (c)(1)(i)-(ii), and (c)(2). Revision Checklist 24 modified this text and moved it from paragraph (b) to paragraph (c).
- 13 Revision Checklist 24 designated the citations within the double lines as optional revisions (265.112(d)(1)-(d)(4)). Similar, more stringent and nonoptional provisions originated in the code at 265.112(c), (c)(1), (c)(2), and (d) as per Base Program Checklist IV B. If States choose to adopt the 265.112(d)(1)-(d)(4) optional provisions as per Revision Checklist 24, they must adopt them as a unit rather than by individual provision. In other words, all or none of the (d)(1)-(d)(4) provisions must be included in a State's code. The only exception for adopting States are the optional revisions subsequently made by Revision Checklist 64. These subsequent changes are less stringent than those addressed by Revision Checklist 24, so States may or may not make those changes. If a State chooses not to adopt the Revision Checklist 24 optional provisions, it must retain code equivalent to that found in the base program at 265.112(c), (c)(1), (c)(2), and (d).
- 14 Note that the changes made by Revision Checklist 85 to 265.112(d)(2) and 265.113(a)&(b) were reversed by the August 27, 1991 (56 FR 42524; Revision Checklist 96) technical corrections to the Boilers and Industrial Furnaces rule. The language is, thus, the same as it was before the Revision Checklist 85 changes. Thus, effectively, the technical corrections addressed by Revision Checklist 85 for these citations were nullified by Revision Checklist 96.
- 15 Note that the August 18, 1992 Federal Register (57 FR 37194, Revision Checklist 109) introduced an error into the second-to-last sentence of 265.112(d)(4) by inserting an extraneous "with" between "§§" and "265.111."
- 16 Section 265.113 was erroneously designated as optional by the May 2, 1986 rule (51 FR 16422). The June 26, 1990 (55 FR 25976) amendment corrected this error.
- 17 Citations within the double lines are optional, but if a State chooses to modify its program to adopt requirements equivalent to these provisions, it must adopt such requirements as a unit rather than by individual provision. In other words, all or none of these provisions must be included in a State's code. Subsequent changes to these provisions may or may not be optional for States that have adopted the original unit of provisions. An optional sign appears in front of the subsequent revision checklist number(s) if such subsequent changes are less stringent than or reduce the scope of the original requirements.
- 18 Text from 265.118(a)(1-3) in Base Program Checklist IV B was moved to 265.118(c)(1-3) by Revision Checklist 24.
- 19 Text from 265.118(b) and (e) in Base Program Checklist IV B was moved to 265.118(d)(1-2) by Revision Checklist 24.
- 20 Text from 265.118(c)(1-2) in Base Program Checklist IV B was moved to 265.118(e)(1-2) by Revision Checklist 24.
- 21 Text from 265.118(d) in Base Program Checklist IV B was moved to 265.118(f) by Revision Checklist 24.

CONSOLIDATED CHECKLIST C6
40 CFR Part 265, Subparts A-G, as of June 30, 1995 (cont'd)

- ²² Text from 265.118(f)(1-2) in Base Program Checklist IV B was moved to 265.118(g)(1-2) by Revision Checklist 24.
- ²³ Revision Checklist 24 extensively revised 265.119 as per Base Program Checklist IV B, including a new section title. The original code contained no subparagraphs.
- ²⁴ The current text of 265.120 was introduced by Revision Checklist 24, whereas the original text of 265.120 as in the base program was moved to 265.119(b) by Revision Checklist 24.